



Certificate of Analysis

Patient COA

Client Information:

Trulieve - Midway Flower
Compliance
6749 Ben Bostic Rd
Quincy, FL 32351

Batch # 127727_0008541942
Batch Date: 2026-06-16
COA Expiration Date: 2027-06-16

Seed to Sale # 0313 8862 7032 1732
Lot ID: 1402 6447 5653 5599

Cultivars: Strawguava
Test Reg State: Florida

Cultivation Facility: Quincy, FL
Production Facility: Midway, FL
Production Date: 2026-06-16

Order # TRU260617-080001
Order Date: 2026-06-17
Sample # AAHT887

Sampling Date: 2026-06-17
Lab Batch Date: 2026-06-17
Completion Date: 2026-06-22

Initial Gross Weight: 1195.600 g

Number of Units: 37
Net Weight per Unit: 3500.000 mg
Sampling Method: MSP 7.3.1



Product Image



Potency
Tested



Terpenes
Tested



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Passed



Moisture
Passed



Water Activity
Passed



Pathogenic Microbiology
Passed



Microbiology (qPCR)
Passed



Filtration and Foreign
Passed



Total Contaminant Load
Passed

Overall Status
Pass

Potency - 11 Specimen Weight: 207.340 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCA-A	15.000	3.20E-5	0.0015	253	25.3
Delta-9 THC	15.000	1.30E-5	0.0015	6.79	0.679
CBGA	15.000	8.00E-5	0.0015	2.42	0.242
CBG	15.000	2.48E-4	0.0015	2.38	0.238
CBDA	15.000	1.00E-5	0.0015	0.810	0.0810
CBC	15.000	1.80E-5	0.0015	0.260	0.0260
THCV	15.000	7.00E-6	0.0015	0.220	0.0220
CBD	15.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0015	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.0015	<LOQ	<LOQ
Delta-8 THC	15.000	2.60E-5	0.0015	<LOQ	<LOQ
Total Active CBD	15.000			0.710	0.0710
Total Active THC	15.000			229	22.9

Prep. By: 1292 Date: 2026-06-17 21:19:22 Analyzed By: 1263 Date: 2026-06-18 11:37:30
Reviewed By: 1150 Date: 2026-06-20 10:05:22 Lab Batch #: AAHT887-174 Date: 2026-06-20 10:05:22

Moisture Specimen Weight: N/A Dilution Factor: 1.000

Passed

SOP13.015
(Moisture Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	11.8

Prep. By: 1284 Date: 2026-06-18 12:19:45 Analyzed By: 1284 Date: 2026-06-18 12:19:45
Reviewed By: 1284 Date: 2026-06-18 15:52:10 Lab Batch #: AAHT887-10 Date: 2026-06-18 15:52:10

This product is tested at this moisture level, not at dry weight.

Potency Summary

Total Active THC 22.9% 801 mg	Total Active CBD 0.0710% 2.49 mg
Total CBG 0.450% 15.8 mg	Total CBN None Detected
Total Cannabinoids 26.6% 932 mg	

Terpenes Summary

Analyte	Result (mg/g)	(%)
beta-Myrcene	10.03	1.003%
trans-Caryophyllene	7.156	0.716%
(R)-(+)-Limonene	5.562	0.556%
alpha-Humulene	2.19	0.219%
Linalool	2.011	0.201%
Guaiol	1.43	0.143%
trans-Nerolidol	1.131	0.113%
alpha-Bisabolol	0.837	0.084%
beta-Pinene	0.576	0.058%
Fenchyl Alcohol	0.421	0.042%
alpha-Pinene	0.38	0.038%

Total Terpenes: 3.173%

Detailed Terpenes Analysis is on the following page

Aixia Sun
Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.