



Certificate of Analysis

Patient COA

Client Information:

Trulieve - Midway Flower
Compliance
6749 Ben Bostic Rd
Quincy, FL 32351

Batch # 64812_0008148114
Batch Date: 2026-01-09

Seed to Sale # 3426 1941 7513 4584
Lot ID: 2079 4396 2553 6227


Cultivation Facility: Quincy, FL
Production Facility: Midway, FL
Production Date: 2026-01-09

Order # TRU260112-110001
Order Date: 2026-01-12
Sample # AAH115

Sampling Date: 2026-01-12
Lab Batch Date: 2026-01-12
Completion Date: 2026-01-20

Initial Gross Weight: 316.300 g

Number of Units: 39
Net Weight per Unit: 1000.000 mg
Sampling Method: MSP 7.3.1



Product Image



Potency
Tested



Terpenes
Tested



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Not Tested



Moisture
Passed



Water Activity
Passed



Pathogenic
Passed



Microbiology (qPCR)
Passed



Filth and Foreign
Passed



Total Contaminant Load
Passed



Potency - 11
Specimen Weight: 201.010 mg

Tested
SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCA-A	150.000	3.20E-5	0.015	155	15.5
Delta-9 THC	15.000	1.30E-5	0.015	19.3	1.93
CBGA	15.000	8.00E-5	0.015	1.90	0.190
CBG	15.000	2.48E-4	0.015	0.589	0.0590
CBDA	15.000	1.00E-5	0.015	0.490	0.0490
CBC	15.000	1.80E-5	0.015	0.311	0.0310
THCV	15.000	7.00E-6	0.015	0.158	0.0160
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ
Delta-8 THC	15.000	2.60E-5	0.015	<LOQ	<LOQ
Total Active CBD	15.000			0.430	0.0430
Total Active THC	15.000			155	15.5

Prep. By: 1276 Date: 2026-01-13 13:16:00 Analyzed By: 1263 Date: 2026-01-13 13:34:29
Reviewed By: 1150 Date: 2026-01-18 20:23:52 Lab Batch #: AAH115-450 Date: 2026-01-18 20:23:52



Moisture
Specimen Weight: N/A Dilution Factor: 1.000

Passed
SOP13.015
(Moisture Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	10.8

Prep. By: 1284 Date: 2026-01-15 16:25:56 Analyzed By: 1284 Date: 2026-01-15 16:25:56
Reviewed By: 1284 Date: 2026-01-15 18:19:25 Lab Batch #: AAH115-10 Date: 2026-01-15 18:19:25

This product is tested at this moisture level, not at dry weight.

Potency Summary

Total Active THC 15.5% 155 mg	Total Active CBD 0.0430% 0.430 mg
Total CBG 0.226% 2.26 mg	Total CBN None Detected
Total Cannabinoids 17.8% 178 mg	



Terpenes Summary

Analyte	Result (mg/g)	(%)
trans-Caryophyllene	4.8	0.48%
Linalool	2.484	0.248%
alpha-Humulene	1.625	0.162%
(R)-(+)-Limonene	0.789	0.079%
Fenchyl Alcohol	0.445	0.044%
beta-Myrcene	0.421	0.042%

Total Terpenes: 1.055%

Detailed Terpenes Analysis is on the following page

Axia Sun
Axia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.